HP970 and TP970 Series Standard Covers and Accessories

SPECIFICATION DATA



FEATURES

- Compact cover design for aesthetic appearance
- Available with or without setpoint opening for tamper resistance
- Satin chrome, bright chrome, satin brass, bright brass, or beige finish for a variety of decors
- Setpoint only, thermometer only, both setpoint and thermometer, or blank display for a variety of applications
- Available with large-scale numerals for the visually impaired

GENERAL

These covers and accessories are for use with the HP970 and TP970 Series Humidistats, Thermostats, and Sensors. The covers protect mechanisms from dust and damage and are designed for either vertical or horizontal mounting.



Copyright © 1996 Honeywell Inc. • All Rights Reserved

SPECIFICATIONS

Covers


Material:

Acrylonitrile Butadiene Styrene

Dimensions:

TP979 Dual Thermostat Covers: 3-3/8 in (86 mm) high by 3-7/8 in. (99 mm) wide by 1-7/8 in. (48 mm) deep Other Covers: 3-1/4 in. (83 mm) high by 2 in. (51 mm) wide by 1-5/8 in. (42 mm) deep

Mounting:



Bright Chrome Covers:

			Part	Number 1	4004787->	(XX ¹	
		Honeywell Logo					
				Setpoi	nt Slot		
			Op	en	Closed		
	Display (Unit)	Mou	nting	Mounting		
Cover	Thermometer	Setpoint	Vert	Horiz	Vert	Horiz	
RC158	None	None	-100	_	_		
RC159	60-90 (F)	60-90 (F)	-111	_	_	_	

When ordering, use complete part number including three-digit suffix.

77-1003-1 2

Satin Chrome Covers:

		-	Part Number 14004406-XXX ¹							
				Honeyw	ell Logo			No L	_ogo	
			Setpoint Slot			Setpoint Slot				
			Open Closed		sed	Open		Closed		
	Display	(Unit)	Mounting		Mounting		Mounting		Mounting	
Cover	Thermometer	Setpoint	Vert	Horiz	Vert	Horiz	Vert	Horiz	Vert	Horiz
RC158	None	None		_	-300	-400		_	2	-800
	15-30 (C)	15-30 (C)	-110	-210	- 310	_	– 510	_	_	_
12	60-90 (F)	69-90 (F)	-111	-211	-311	_	– 511	- 611	- 711	_
	40-70 (F)	40-70 (F)	-112	_	_	_	_	_	_	_
RC159	60-90 (F)	Heat range/ Cool range 60-90 (F)	-114	_	_	_	_	_	_	_
RC158	69-90 (F) ³	60-90 (F) ³	– 115	_	_	_	П	_	_	_
	None	15-30 (C)	-120	_	-320	_	1	_	_	1
	None	60-90 (F)	-121	_	-321	_	_	_	_	_
	None	40-70 (F)	-122	_	_	_		_	_	_
	None	COOLER/ WARMER	-123	_	_	_	1	_	_	1
RC160	None	HUMIDITY 20-70 (% RH)	-124	-224	-324	-424	_	_	_	_
	15-30 (C)	None	_	_	-330	_	_	_	_	_
RC163	60-90 (F)	None	_	_	-331	_	_	_	_	_

3

77-1003-1

¹ When ordering, use complete part number including three-digit suffix.

² 14004406-800 Cover also suitable for vertical mounting.

 $^{^{\}rm 3}$ $\,$ Display has large-scale numerals for the visually impaired.

Satin Brass Covers:

			Part Number 14004788-XXX ¹							
				Honeyw	ell Logo		No Logo			
				Setpoi	nt Slot		Setpoint Slot			
			Op	en	Clo	sed	d Open		Closed	
	Display	(Unit)	Mounting Mounti		nting	Mounting		Mounting		
Cover	Thermometer	Setpoint	Vert	Horiz	Vert	Horiz	Vert	Horiz	Vert	Horiz
RC158	None	None	-100			_	- 500	_		_
RC159	60-90 (F)	60-90 (F)	-111	_		_	_	_	_	_

When ordering, use complete part number including three-digit suffix.

Bright Brass Covers:

			Part	Number 1	4004789->	KXX ¹		
			Honeywell Logo					
				Setpoi	nt Slot			
			Ор	en	Closed			
	Display (Unit)	Mou	nting	Mou	Mounting		
Cover	Thermometer	Setpoint	Vert	Horiz	Vert	Horiz		
RC158	None	None	-100	_	_			
RC159	60-90 (F)	60-90 (F)	-111	_	_	_		

¹ When ordering, use complete part number including three-digit suffix.

77-1003-1

Beige Covers:

			Part Number 14004407-XXX ^{1 2}							
			Honeywell Logo				No Logo			
				Setpoi	nt Slot		Setpoint Slot			
			Open		Closed		Open		Closed	
	Display	(Unit)	Mou	nting	Mounting		Mounting		Mounting	
Cover	Thermometer	Setpoint	Vert	Horiz	Vert	Horiz	Vert	Horiz	Vert	Horiz
RC158	None	None			-300	-400			3	-800
	15-30 (C)	15-30 (C)	-10	-210	_	_	_	_	_	_
3	60-90 (F)	60-90 (F)	-111	_	-311	_	– 511	_	_	_
	60-90 (F)	15-30 (C)	-113	_	_	_	_	_	_	_
RC159										
	None	60-90 (F)	-121	_		_	_	_		_
RC160	Mone	HUMIDITY 20-70 (% rh)	-124							

When ordering, use complete part number including three-digit suffix.

5

77-1003-1

² 14004407-XXX Covers are paintable. For painting information, see HP970-72 and TP970-74 Pneumatic Sensors, Humidistats, and Thermostats Installation Instructions 95-5597.

³ 14004407-800 Cover also suitable for vertical mounting.

TP979 Dual Thermostat Covers:

	Display	· (Units)	Part No. Satin Chrome 14004756-XXX ¹ or Beige Plastic 14004757-XXX ¹ Setpoint Slot ²			
Cover	Thermometer	Setpoint	Open	Closed		
RC164	None	None	_	-007 -008 ³		
12 Maria 10 maria	60-90 (F)	60-90 (F) HEAT 60-90 (F) COOL	-001	_		
	15-30 (C)	15-30 (C) HEAT 15-30 (C) COOL	-002	_		
RC165	N.	00.00 (5) U.S.A.T.	200			
	None	60-90 (F) HEAT 60-90 (F) COOL	-003			
RC166	None	15-30 (C) HEAT 15-30 (C) COOL	-004			
RC166	60-90 (F)	None	_	-005		
RC167	15-30 (C)	None	_	-006		

When ordering, use complete part number including three-digit suffix.

NOTE: Beige Plastic Covers are paintable. For painiting instructions, see TP979A-E Dual Zero Energy Band Pneumatic Thermostats Installation Instructions 95-6023.

77-1003-1 6

² DAY/AUTO lever slot is open (not covered) on all models.

³ Does not have Honeywell logo.

Accessories

305965 Gage:



CCT729 Gage Port Needle:



CCT735A Thermostat Tool:



14002424-002, -003 Aspirating Wall Boxes and AK3970 Aspirator Box Cover:

Box and Cover ordered separately (see TP970 Series Thermostats Aspirating Wall Box Specification Data 77-9830)




14002430-001 Heavy Duty Thermostat Guard:


(Not applicable for TP979 Dual Thermostats)




14004437-001 (Satin Chrome), -002 (Beige Plastic) DAY/ AUTO Cover Inserts:



14004438-001 (Satin Chrome), -002 (Beige Plastic) Setpoint Cover Inserts; 14004437-XXX Setpoint Cover Inserts for TP979 Dual Thermostats:



14004439-001 Setpoint Extension (for Thermostats Only):



77-1003-1

7

14002362-001 Duct Sampling Chamber:



14004908-001 Setpoint Stops for TP973 (bag of 10 for 5 thermostats)



AK3996C Duct Mounting Bracket:



By using this Honeywell literature, you agree that Honeywell will have no liability for any damages arising out of your use or modification to, the literature. You will defend and indemnify Honeywell, its affiliates and subsidiaries, from and against any liability, cost, or damages, including attorneys' fees, arising out of, or resulting from, any modification to the literature by you.

Home and Building Control

Honeywell Inc. Honeywell Plaza P.O. Box 524 Minneapolis MN 55408-0524

Honeywell Latin American Division

Miami Lakes Headquarters 14505 Commerce Way Suite 500 Miami Lakes FL 33016

Home and Building Control

Honeywell Limited-Honeywell Limitée 155 Gordon Baker Road North Oak, Ontario M2H 2C9

Honeywell Europe S.A.

3 Avenue du Bourget B-1140 Brussels Belgium

Honeywell Asia Pacific Inc.

Room 3213-3225 Sun Hung kai Centre No. 30 Harbour Road Wanchai Hong Kong

Honeywell

